

# NOW EVEN BETTER!

## Monsoon Zone I Silence Range



### IMPROVED PERFORMANCE

Can be installed with  
longer duct runs

### EASIER TO INSTALL

Easier wiring and  
handy spirit level

### QUIETER

Quieter than ever  
- as low as 22dB(A)

Call now to find out more: **01823 690 290**

[www.nationalventilation.co.uk](http://www.nationalventilation.co.uk) Email: [info@nvagroup.co.uk](mailto:info@nvagroup.co.uk)




**NATIONAL  
VENTILATION**

Manufacturers & suppliers  
of  **monsoon** products

 **MADE IN THE UK**

**5YR**

Now with our  
highest ever warranty



The new Monsoon Silence range is the latest innovative domestic ventilation solution, providing high extraction rates with low energy use and exceptionally quiet running levels. The fan comes with a long life ball bearing motor and a silent back draft shutter preventing air travelling back up the duct and into the room. The casing and impeller are made of durable high quality UV-resistant plastic, which helps to prevent degradation and discolouration of the plastic over time. The Mon-S100, S100T, S100HT and S100PC are also now available in a chrome finish, making this stylish fan match well with any modern interior.

## Models available

### 100mm

CODE	DESCRIPTION
MON-S100	100mm Standard Model
MON-S100T	100mm Timer Model adjustable from 2-30 minutes
MON-S100HT	100mm Timer/Humidistat Model adjustable from 60 to 90%, 2 speed settings
MON-S100PC	100mm Pull-Cord Model
MON-S100PIR	100mm Passive Infrared Sensor Model c/w Timer

### 125mm

CODE	DESCRIPTION
MON-S125	125mm Standard Model
MON-S125T	125mm Timer Model adjustable from 2-30 minutes
MON-S125HT	125mm Timer/Humidistat Model adjustable from 60 to 90%, 2 speed settings, pullcord

### 150mm

CODE	DESCRIPTION
MON-S150	150mm Standard Model
MON-S150T	150mm Timer Model adjustable from 2-30 minutes
MON-S150HT	150mm Timer/Humidistat Model adjustable from 60 to 90%, 2 speed settings, pullcord


**Call now to find out more: 01823 690 290**

[www.nationalventilation.co.uk](http://www.nationalventilation.co.uk) Email: [info@nvagroup.co.uk](mailto:info@nvagroup.co.uk)

## Technical data


	MON-S100		MON-S125		MON-S150	
	High	Low	High	Low	High	Low
Speed	High	Low	High	Low	High	Low
Volts at 50 Hz (V)	230	230	230	230	230	230
Power (W)	7.5	5	15	11	22	14
Specific Fan Power (W/l/s)	0.33	0.25	0.30	0.27	0.22	0.18
Current (A)	0.051	0.049	0.083	0.067	0.1	0.09
Performance (l/s)	27	20	48	39	91	75
Sound @ 3m dB(A)	25	22	32	29	38	32
Weight (Kg)	0.55	0.55	0.78	0.78	1.33	1.33
IP rating	IP45	IP45	IP45	IP45	IP45	IP45

## Performance Comparison



## Dimensions

MODEL	H	W	L1	L2	ØD
MON-S100	160	160	22	80	99
MON-S125	185	185	29	100	120
MON-S150	227	227	30.5	111	146



**Call now to find out more: 01823 690 290**

[www.nationalventilation.co.uk](http://www.nationalventilation.co.uk) Email: [info@nvagroup.co.uk](mailto:info@nvagroup.co.uk)